178° of Vertical and Horizontal Ultra Wide View

Delicate touches make a monitor truly great, VS24AH-P 1920x1200 IPS LED monitor, with16:10 aspect ratio, 80,000,000:1 high contrast ratio and HDMI interface, is optimized for the finest image and color quality. This approach extends to the sturdy stand and slim profile without compromising style in ensuring stability and durability.

Add to comparison list

True-to-life Pictures Powered by LED

80,000,000:1 ASUS Smart Contrast Ratio

Dynamically enhances the display's contrast by adjusting the luminance of the backlight to achieve the darkest black and brightest white – delivering lifelike images.

Without ASCR

ASCR 80,000,000:1

178°Ultra Wide Viewing Angle

VS24AH-P adopts 178°(H) / 178°(V) ultra wide viewing angle IPS panel that eliminates color shift on your screen no matter where and how you look at it.

New VS Sereies - No color shift

Standard Monitors
Color shift appears

QuickFit Virtual Scale

The ASUS-exclusive QuickFit built in the monitor provides real-size document, photo, and grid mode on top of the operating windows on the screen. It can activated via a hotkey on monitor and used as a guide to accurately view and edit photos.

Aspect Control function

Aspect Control function allows users to select a preferred display mode among Full and 4:3 for true-to-life gaming or movie watching without any data loss or image distortion.

Supporting Formats:

   Document: A4, letter

   Photo: 8"x10", 5"x7", 4"x6", 3"x5", 2"x2"

   Grid: Alignment

4:3
Aspect Control

Splendid™ Video Intelligence Technology

The exclusive Splendid Video Intelligence Technology optimizes video performance and image fidelity by enhancing color, brightness, contrast, and sharpness. 6 preset video modes (Scenery, Theater, Game, Night View, sRGB and Standard) can be selected via a hotkey.

Theater   Gaming   Scenery

Night View   sRGB   Standard

Stylish and User-friendly Design for Modern Sophistication

Convenient key controls for functional set-up in the multi-language OSD.

Easily detachable base for wall mount.

VESA Wall Mount Standard (100 x 100 mm).

25° (forward 5°, backwards 20°)Tilting Angle.

KENSINGTON Security Lock.

Complete After-Sale Service

3-year system warranty

3-year panel warranty

Free pick-up service (in specific countries)

Green in Mind

Greener Materials

Mercury-free LED-backlit panel
Corrugated cardboard packaging with at least 80% recycled content

Slim-flat packaging allows more cartons to be fitted per cargo, reducing transportation costs and CO_2 emission

LED
Backlight

Energy and Planet Saving

37.2k Wh electricity saving

23.6kg reduction in CO_2emissions, equivalent to:
1.9 trees planted
2 years of oxygen for a family of four

Warranty

Corporate Stable Model

As the first monitor series to enter our renowned Corporate Stable Model program, the VS series is guaranteed to remain in stable supply for a minimum of 1 year. This ensures guaranteed replacement should you need more of the same models.

ASUS Rapid Replacement Warranty

Along with a 3 year warranty for the display panel and system, you get the complimentary ASUS Rapid Replacement service that covers free 2-way shipping and offers free cross-shipping that swaps any defective unit with a replacement.

EPEAT Gold Certified

epeat
GOLD

You may also like

VS247H-P

Superior Image Quality
Meets Classic Elegant
Design

VS248H-P

Superior Image Quality
Meets Classic Elegant
Design

Display

Panel Size : Wide Screen 24.1"(61.13cm) 16:10
True Resolution : 1920x1200
Pixel Pitch : 0.270mm
Brightness(Max) : 300 cd/㎡
ASUS Smart Contrast Ratio (ASCR) : 80000000:1
Viewing Angle (CR≧10) : 178°(H)/178°(V)
Response Time : 5ms (Gray to Gray)
Display Colors : 16.7M

Video Feature

SPLENDID Video Intelligence Technology
SPLENDID Video Preset Modes : 6 Modes
Skin-Tone Selection : 3 Modes
Color Temperature Selection : 4 Modes
QuickFit (modes) : Yes (Letter/A4/Alignment Grid/Photo Modes)
HDCP support

Convenient Hotkey

SPLENDID Video Preset Mode Selection
Auto. Adjustment
Brightness Adjustment
Input Selection

I/O Ports

Signal Input : HDMI , D-Sub, DVI-D
AV Audio Input :
Earphone jack : 3.5mm Mini-Jack , HDMI

Signal Frequency

Analog Signal Frequency : 30~83 KHz(H)/ 50~61 Hz(V)
Digital Signal Frequency : 30~83 KHz(H)/ 50~61 Hz(V)

Power Consumption

Power ON: < 30W
Power Saving Mode : < 0.5W

Power Off Mode : < 0.5W

Mechanical Design

Chassis Colors : Black

Tilt : +20°~-5°

VESA Wall Mounting : 100x100mm

Slim Design : Yes

Security

Kensington lock

Dimensions

Phys. Dimension with Stand(WxHxD) : 561.6 x 440.9 x 205.5mm

Box Dimension (WxHxD) : 638x 495 x140 mm

Weight

Net Weight (Esti.): 4.6 kg

Gross Weight (Esti.):6.8 kg

Compliance and Standards

Energy Star®, BSMI, CB, CE, C-Tick, EPEAT (Gold) by region , ErP, FCC, J-MOSS, PSE, RoHS, TCO6.0, UL/cUL, VCCI, WEEE, WHQL (Windows 8, Windows 7)