

HP LaserJet P4515 Printer series

P4515n • P4515tn • P4515x



Enhance workgroup productivity with HP's fastest single-function black-and-white printer.

Lightning-fast performer

Experience legendary reliability and consistent print quality at incredible speeds of up to 62 pages per minute (ppm)—the latest advancements in HP toner technology make it possible. Start fast and finish sooner: Time To Completion (TTC) of a typical office print job can be nearly twice as fast with Instant-on Technology. Built-in Gigabit networking lets you share the printer across large workgroups with ease.

Secure, robust productivity

In addition to supporting standard security protocols and optional third-party security solutions, the printer includes industry-leading security capabilities. Get fast, secure performance across your network with advanced IPSec encryption, prevent unauthorized access with management features like 802.1X authentication and password protection, and guard sensitive information with support for private printing. Just press the **Folder** button to view your stored jobs, enter a PIN, and print your documents.

Flexible and expandable

Upgrade your printer as business needs change. This versatile printer accommodates a variety of media types and sizes, and lets you expand paper handling and finishing capabilities with an optional two-sided printing accessory, additional 500-sheet or 1,500-sheet input trays, an envelope feeder, a 5-bin mailbox, stacker, or stapler/stacker accessory. You can also select either regular or high-capacity print cartridges to meet your specific business needs.

Improve performance and increase storage capacity with an optional EIO hard disk. The printer also supports optional Jetdirect and third-party solutions via the EIO slot and Host USB 2.0-like ports.

Hassle-free management

Simplify fleet management tasks and reduce IT costs with HP Web Jetadmin.² This powerful tool makes it easy to install, monitor, secure, and troubleshoot a wide range of network-connected peripherals from an intuitive browser interface. Use a single driver—the HP Universal Print Driver communicates directly with each HP device on your network and customizes the user interface to show the available features.³

Instant-on Technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of low power mode so your print job is done sooner. An InfoTrends study shows the typical office print job is three to five pages long:

www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select

competing products. Actual results may vary.
² Find more information and download HP Web Jetadmin free at www.hp.com/go/webjetadmin.

³ To download the free HP Universal Print Driver Series for Windows, visit www.hp.com/go/upd

HP LaserJet P4515 Printer series

- Control panel simultaneously displays up to four lines of text and animated graphics and features a built-in 10-key pad
- Optional 500-sheet 5-bin mailbox with sorting capability
- 3 500-sheet top output bin
- 4 Adjustable 100-sheet multipurpose input tray 1 for special media
- 5 500-sheet input tray 2
- 6 500-sheet input tray 3
- 7 Optional 500-sheet input tray 4
- 8 Optional 1,500-sheet high capacity input tray
- 9 HP Jetdirect Gigabit Ethernet embedded print server with IPSec
- 10 A powerful 540 MHz processor and 128 MB of standard printing memory, expandable up to 640 MB
- 11 EIO expansion slot supports an optional parallel card, hard disk, or Jetdirect print server
- 12 One external and two internal Host USB 2.0-like ports for third-party connections
- 13 Security lock slot
- 14 Hi-Speed USB 2.0 port provides simple connections for direct printing
- 15 100-sheet rear output bin
- 16 Duplexer for automatic two-sided printing
- 17 Optional printer stand enables printer mobility

HP LaserJet P4515x Printer shown with optional 500-sheet 5-bin mailbox, 500-sheet input tray 4, optional 1,500-sheet high capacity input tray, and optional printer stand





Easy to use and maintain, this printer is also easy on the environment.

Saves resources

Be ready to print in seconds: Instant-on Technology in HP LaserJet devices provides up to 50 percent energy savings over traditional fusing while providing a first page-out in seconds—nearly twice as fast as competitive products without this technology. The use of Instant-on Technology has reduced emissions by 4.1 million tons of Co₂ to date—the equivalent of removing 870,000 cars from the road for one year.4

Cut paper consumption in half and save money with automatic two-sided printing.5

Recycle cartridges with HP Planet Partners. This industry-leading program gives companies around the world an easy and environmentally conscious way to return hardware and print supplies for recycling after use.

CC364A

Get the most out of your printer with HP accessories, supplies, and services.





CB524A

Make business mailing simple and efficient with the HP LaserJet 75-sheet Envelope Feeder.

CB522A

Enjoy hassle-free, unattended printing with HP LaserJet 500-sheet Stapler/Stacker.

CB520A

Find your printed output quickly and easily with the HP LaserJet 500-sheet 5-Bin Mailbox.

HP Support Services

Minimize the cost of downtime

Because printer downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs.

Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support and delivery services, and predictable and consistent service delivery across multiple locations.

Choose:

- Installation Service with Network Configuration: expert assembly of HP accessories, hardware verification, network configuration, and basic administrator familiarization
- Same Day Onsite Service: technician arrives at your site within four hours after service call is received, if this time falls within the coverage window
- Next Day Onsite Service: technician-delivered onsite service the next business day after the service call

Any of the above options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

HP also offers Managed Print Services: a solution scalable from imaging and printing devices and toner cartridges, to installation, management, maintenance, and support

For more information visit: www.hp.com/qo/printservices.

Print cartridges with HP Smart Printing Technology⁶ HP LaserJet Black Print Cartridge (10,000 pages)

HP LaserJet Black Print Cartridge (24,000 pages)	CC364X
Paper handling	
HP LaserJet 500-sheet Input Tray and Feeder	CB518A
HP LaserJet 1,500-sheet High Capacity Input Tray	CB523A
HP LaserJet 75-sheet Envelope Feeder	CB524A
HP LaserJet Automatic Duplexer for Two-sided Printing	CB519A
HP LaserJet 500-sheet 5-Bin Mailbox	CB520A
HP LaserJet 500-sheet Stacker	CB521A
HP LaserJet 500-sheet Stapler/Stacker	CB522A

Accessories and supplies

CB525A
Q3216A
CB388A
CB389A

Memory/storage

HP 64 MB DDR2 144-pin x32	CC413A
HP 128 MB DDR2 144-pin x32	CC414A
HP 256 MB DDR2 144-pin x32	CC415A
HP 512 MB DDR2 144-pin x32	CE483A
HP High Performance Serial ATA Hard Disk	J7989G

Connectivity

zonnoch vii y	
HP Jetdirect 620n Fast Ethernet Print Server	J7934G
HP Jetdirect 630n IPv6 Gigabit Ethernet Print Server	J7997G
HP Jetdirect 635n IPv6/IPSec Internal Print Server	J7961G
HP Jetdirect 690n Wireless Print Server	J8007G
HP Jetdirect en3700 Fast Ethernet Print Server	J7942G
HP Jetdirect en 1700 IPv4/IPv6 Print Server	J7988G
HP Jetdirect ew2400 802.11g Wireless Print Server	J7951G
HP 1284B Parallel Card	J7972G
For more information, visit your ho com/go/jetdirect	

Tof filore information, visit www.fip.com/go/jetatrect	
Service and support	
HP 3-year, Next Business Day Onsite Service	UJ516E
HP 3-year, 4-hour, 13x5 Same Day Onsite Service	UJ522E
HP Onsite Installation and Network Configuration	UC742E
HP Maintenance Kit Replacement Service, Fuser	UJ986E
HP 1-year, Post-warranty, Next Business Day Onsite Service	UJ525PE
HP 1-year, Post-warranty, 4-hour, 13x5 Same Day Onsite Service	UJ527PE
HP 1-year, Post-warranty Service, Phone and Online Assistance	HC128PE
For more information, visit www.hp.com/services/printer	

Paper

Solutions

www.hp.com/qo/qsc

⁴ The tons of CO₂ avoided is based on power plant emissions that otherwise would occur to generate the electricity saved; cars removed is based on annual emissions from cars burning gasoline. ⁵ Two-sided printing is included with the HP LaserJet P4515x Printer and can be added to the HP LaserJet P4515n Printer and HP LaserJet P4515tn Printer by adding the optional HP LaserJet

Automatic Duplexer for two-sided printing. 6 Declared yield values in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit

HP LaserJet P4515 Printer series

Technical specifications	HP LaserJet P4515n Printer (CB51	4A) HP LaserJet	P4515tn Printer (CB515A)	HP LaserJet P4515x Printer (CB516A)	
rint speed ⁷		U	p to 62 ppm, letter		
ocument delivery speed	First page out: as fast as 8.5 sec			e print job: as fast as 15.5 seconds, letter ⁸	
rint resolution	, ,		00 dpi, HP 600 dpi, HP FastRes 1	1 1	
ocessor	01 10 1200	Бу 1200 арі, 111 кіл, 111 о	540 MHz	200, TH TTORES 1200	
lemory	129	3 MB expandable to 640 M	NB via one open 144-pin 32 bit DD	DP2 DIMM clot	
urability ratings			to 20,000 pages, Duty cycle: up		
orability railings	Recommen	ded moning volume. 5,000	10 20,000 pages, Duly cycle. up	10 27 3,000 pages	
	100-sheet multipurpose tray 1,		100 - h t t t 1 6	500-sheet tray 2, 500-sheet tray 3	
Input	500-sheet tray 2			500-sneer may 2, 500-sneer may 5	
Output			utput bin, 500-sheet top output bin		
Two-sided printing		ry available for automatic tv		Automatic	
Sizes	Multipurpose tray 1: letter, legal, executive, statement, 8.5 by 13.0 in, envelope (Com 10, Monarch No. 7 3/4); custom: 3.0 by 5.0 in to 8.5 by 14.0 in Input trays 2 and 3: letter, legal, executive, statement, 8.5 by 13.0 in; custom: 5.8 by 8.3 in to 8.5 by 14.0 in Automatic duplexer for two-sided printing: letter, legal, executive; custom: 5.8 by 8.3 in to 8.5 by 14.0 in Optional 500-sheet 5-bin mailbox: letter, legal, executive, statement, 8.5 by 13.0 in; custom: 5.8 by 8.3 in to 8.5 by 14.0 in				
Weights	Ophonal 300 sheet 3 bill 1	, , ,	rpose tray 1: 16 to 53 lb	10111: 3.3 by 0.0 III 10 0.3 by 14.0 III	
vveigilis	Input trays 2 and 3, optional 500-sheet feeder, optional high-capacity input tray, automatic duplexer for two-sided printing: 16 to 32 lb Optional envelope feeder: 20 to 28 lb				
Types	Paper (bond, color, letterhead, plair	n, preprinted, prepunched, i	ecycled, rough, light), envelopes, l	labels, cardstock, transparencies, user-defined	
onnectivity					
Interfaces	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server				
Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)				
Fonts			us Greek, Hebrew, Cyrillic, Arabic		
Client operating systems	Windows® 2000: Windo			003; Certified for Windows Vista®;	
Chem operating systems	**************************************		.8, v10.3, v10.4, v10.5, and later		
Network operating systems	Via an HP Jetdirect print server: Microsoft Windows 2000, Server 2003, XP, Vista, 2003 64-bit, XP 64-bit, Vista 64-bit (For Microsoft IPv6 compatible with Windows 2003, XP, and Vista); Novell 5.1 and later; Mac OS X v10.2.8, v10.3, v10.4, v10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x an later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Termin Services				
Network protocols	Supported via an HP Jetdirect print server: IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 910 LPD, IPP, Secure-IPP, WS Discovery, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Dire Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint				
Security	Management security: SNMPv3, SSL/TLS (HTTPS), 802.1X authentication (EAP-PEAP, EAP-TLS), IPsec/Firewall with Kerberos, Certificate, and PreShared Ke Authentication; Wireless network security (Requires HP Jetdirect 690n Wireless Print Server): 802.1X (EAP-PEAP, EAP-TLS), WPA, WPA2 authentication, AES TKIP, WEP (40/64- and 128-bit) encryption				
imensions (w by d by h)	16.5 by 17.7 by 15.5 in	16./	5 by 17.7 by 21.5 in	16.5 by 20 by 21.5 in	
/eight (includes print cartridge)	56.92 lb		71.58 lb	77.42 lb	
/hat's in the box	Printer, right-angled power cord, contro	l panel overlay, software an	d documentation on CD-ROM, prin	nt cartridge. 11 Getting Started Guide, support flyer	
Also includes	Timo, ngmangoa poner cera, come		verlay, software and documentation on CD-ROM, print cartridge, ¹¹ Getting Started Guide, support fly 500-sheet input tray 3 500-sheet input tray 3, automatic duplexer for two-sided printing		
Varranty		One-year, return to HP a	uthorized service center, limited w		
nvironmental ranges		Tvpical Electricií	y Consumption (TEC): 5.049 kWh/W	/eek	
Recommended temperature Storage temperature Recommended relative humidity Storage relative humidity Altitude	50 to 90 degrees F 32 to 95 degrees F 10 to 80 percent 10 to 95 percent Up to 10,000 ft		ualified models, see <u>www.hp.com/gc</u>	o/energystar 60825-1+A1+A2, UL/cUL Listed (US/Canada), EN	
coustics ¹² Sound power Bystander sound pressure ower specifications	Active: 7.4 B(A) Ready: 4.8 I Active: 60 dB(A) Standby: 31	dB(A) EMC	1995+A1, EN 55024: 1998+A	006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3 .1+A2, FCC Title 47 CFR, Part 15 Class B (USA), ICE:	
Required input voltage Power consumption ¹³	100 to 127 V (±10 percent), 50/60 Hz (±3 220 to 240 V (±10 percent), 50/60 Hz (±3 Active: 910 watts Sleep: 12 w	B Hz)	003, Issue 4, (Canada), GB925	4-1998	

⁷ Exact speed varies depending on system configuration, software application, driver, and document complexity.

¹² Measured per ISO 7779 and declared per ISO 9296; values subject to change. For current information see www.hp.com/support. Configuration tested: LaserJet P4515x. 13 Values subject to change. See www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.







ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States

© Copyright 2008 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select 8 An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/ competing products. Actual results may vary.

9 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

¹⁰ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.

11 Average continuous black cartridge yield 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably bsed on images printed and other factors. For more information, visit