

## ROG SWIFT PG279Q

---

**Display Panel Size:** Wide Screen 27.0"(68.6cm) 16:9

**Color Saturation :** 100%(sRGB)

**Panel Backlight / Type :** In-Plane Switching

**True Resolution :** 2560x1440 \*

**Display Surface** Non-glare

**Pixel Pitch :** 0.233 mm

**Brightness(Max) :** 350 cd/m<sup>2</sup>

**Contrast Ratio (Max) :** 1000:1

**Viewing Angle (CR<sub>≥10</sub>) :** 178°(H)/178°(V)

**Response Time :** 4ms (Gray to Gray)

**Display Colors :** 16.7M (real 8 bit)

**Flicker free**

**Refresh Rate(max) :** 165Hz\*<sup>1</sup>

**Video Feature** **Trace Free Technology :** Yes

**Color Temperature Selection :** 4 Modes

**GamePlus(modes) :** Yes (Crosshair/Timer/FPS Counter)

**Low Blue Light :** Yes

**HDCP support :** Yes

**GameVisual :** 6 Modes(Scenery/Racing/Cinema/RTS/RPG/FPS/sRGB Modes)

**G-SYNC™**

**Audio Features** **Stereo Speakers :** 2W x 2 Stereo RMS

**Convenient Hotkey** **GamePlus**

5-way OSD Navigation Joystick

Turbo key

**I/O Ports** **Signal Input :** HDMI, DisplayPort

**Earphone jack :** 3.5mm Mini-Jack

**USB Port(s) :** 3.0x2

[Need Help?](#)

**Signal Frequency** **Digital Signal Frequency** : DisplayPort : 34 ~209

KHz (H) /30 ~165 Hz(V)

HDMI : 30 ~140 KHz (H) /24 ~60 Hz(V)

**Power Consumption** Power On: <90W

Power Saving/Off:0.5W

Voltage: 100-240V, 50/60Hz

**Mechanical Design** **Chassis Colors** : Black**Tilt** : +20°~-5°**Swivel** : +60°~-60°**Pivot** : 0°~+90°**Height Adjustment** : 0~120 mm**VESA Wall Mounting** : 100x100mm**Super Narrow Bezel Design** : Yes**Security** Kensington lock**Dimensions** Phys. Dimension with Stand(WxHxD): 619.77x552.53x237.9

mm

Phys. Dimension without Stand(WxHxD): 619.77x362.96x65.98 mm(For VESA Wall Mount)

Box Dimension (WxHxD): 756x456x300 mm

**Weight** Net Weight(Esti.): 7.0kg

Gross Weight(Esti.):10.6kg

**Accessories** Power cord

Power adapter

DisplayPort cable

USB 3.0 cable

Quick start guide

HDMI cable

Support CD

Warranty Card

**Compliance and Standards** BSMI, CB, CCC, CE, CEL level 1, ErP, FCC,

J-MOSS, KCC, PSE, RoHS, UL/cUL, VCCI, WEEE, WHQL (Windows 8.1, Windows

8, Windows 7), RCM, TUV Flicker-free , eStandby, TUV Low Blue Light

Need Help?

**Note**\*1) Refresh Rate

DisplayPort: 2560x1440(up to 165Hz)

HDMI: 2560x1440(60Hz)

- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.

Want More?

---

Who We Are

---

Need Help?

---

Community

---

United States / English

[Privacy Policy](#) | [Terms of Use Notice](#) | ©ASUSTeK Computer Inc. All rights reserved.

[Need Help?](#)